

# Canine Cruciate Disease – Options for Management

## **References**

## References

- Arnoczky SP, Tarvin GB, Marshall JL, Saltzman B (1979) The over-the-top procedure: a technique for anterior cruciate ligaments of dogs. *Journal of the American Animal Hospitals Association* 15: 283–291
- Apelt A, Kowaleski MP, Boudrieau RJ (2007) Effect of tibial tuberosity advancement on cranial tibial subluxation in canine cranial cruciate-deficient stifle joints: an in vitro experimental study. *Veterinary Surgery* 36: 170–177
- Apelt D, Pozzi A, Marcellin-Little DJ, Kowaleski MP (2010) Effect of cranial tibial closing wedge angle on tibial subluxation: an ex vivo study. *Veterinary Surgery* 39: 454–459
- Au KK, Gordon-Evans WJ, Dunning D, O'Dell-Anderson KJ, Knap KE, Griffon D, Johnson AL (2010) Comparison of Short- and Long-term Function and Radiographic Osteoarthritis in Dogs After Postoperative Physical Rehabilitation and Tibial Plateau Leveling Osteotomy or Lateral Fabellar Suture Stabilization. *Veterinary Surgery* 39:173–180
- Bailey CJ, Smith BA, Black AP (2003) Geometric implications of tibial wedge osteotomies. Proceedings of the 30th Annual conference of the Veterinary Orthopaedic Society, Steamboat Springs, Colorado, 22 Feb-1 March 2003 (abstr) p60
- Barnhart MD (2003) Results of single-session bilateral tibial plateau leveling osteotomies as a treatment for bilaterally ruptured cranial cruciate ligaments in dogs: 25 cases (2000–2001). *Journal of the American Animal Hospitals Association* 39:573–578
- Boudrieau RJ (2009) Tibial plateau levelling osteotomy or tibial tuberosity advancement? *Veterinary Surgery* 38: 1–22
- Bruce WJ, Rose A, Tuke J, Robins GM (2007) Evaluation of the triple tibial osteotomy. A new technique for the management of the canine cruciate-deficient stifle. *Veterinary and Comparative Orthopaedics and Traumatology* 20: 159–168
- Corr SA, Brown C (2007) A comparison of outcomes following tibial plateau levelling osteotomy and cranial tibial wedge osteotomy procedures. *Veterinary and Comparative Orthopaedics and Traumatology* 20: 312–319
- DeAngelis M, lau RE (1970) A lateral retinacular imbrication technique for the surgical correction of anterior cruciate ligament rupture in the dog. *Journal of the American Veterinary Medicine Association* 57: 79–84
- Dupuis J, Harari J, Blacketter DM (1994) Evaluation of the lateral collateral ligament after fibular head transposition in dogs. *Veterinary Surgery* 23: 456–465
- Fujita Y, Hara Y, Nezu Y, Schulz KS, Tagawa M (2006) Proinflammatory cytokine activities, matrix metalloproteinase-3 activity, and sulfated glycosaminoglycan content in synovial fluid of dogs with naturally acquired cranial cruciate ligament rupture. *Veterinary Surgery* 35:369–376
- Glassman M, Hofmeister E, Weh JM, Roach W, Torres B, Johnston S, Budsberg S (2011) Radiographic quantitative assessment of caudal proximal tibial angulation in 100 dogs with cranial cruciate ligament rupture. *Veterinary Surgery* 40: 830–838
- Gordon-Evans WJ, Griffon DJ, Bubbs C, Knap KM, Sullivan M, Evans R (2013) Comparison of lateral fabellar suture and tibial plateau levelling osteotomy techniques for treatment of dogs with cranial cruciate ligament disease. *Journal of the American Veterinary Medicine Association* 243: 675–680
- Hirshenson MS, Krotscheck U, Thompson MS, Knapp-Hoch HM, Jay-Silva AR, McConkey M, Bliss SP, Todhunter R, Mohammed HO (2012) Evaluation of complications and short-term outcome after unilateral or single-session bilateral tibial tuberosity advancement for cranial cruciate rupture in dogs. *Veterinary and Comparative Orthopaedics and Traumatology* 25: 402–409
- Hulse D, Hyman W, Beale B, Saunders B, Peycke I, Hosgood G (2010) Determination of isometric points for placement of a lateral suture in treatment of the cranial cruciate ligament deficient stifle. *Veterinary and Comparative Orthopaedics and Traumatology* 23: 163–167
- Innes JF, Bacon D, Lynch C, Pollard A (2000) Long-term outcome of surgery for dogs with cranial cruciate ligament deficiency. *Veterinary Record* 147: 325–328
- Linko E, Harilainen A, Malmivaara A, Seitsalo S (2005) Surgical versus conservative interventions for anterior cruciate ligament ruptures in adults. *Cochrane Database of Systematic Reviews* 2005, Issue 2. Article No: CD001356
- Miller JM, Shires PK, Lanz OI, Martin RA, Grant JW (2007) Effect of 9mm tibial tuberosity advancement on cranial tibial translation in the canine cruciate ligament-deficient stifle. *Veterinary Surgery* 36: 335–340
- Oxley B, Gemmill TJ, Renwick AR, Clements DN, McKee WM (2013) Comparison of complication rates and clinical outcome between tibial plateau levelling osteotomy and a modified cranial closing wedge osteotomy for treatment of cranial cruciate ligament disease in dogs. *Veterinary Surgery* 42: 739–750
- Pozzi A, Kowaleski MP, Apelt D, Meadows C, Andrews CM, Johnson KA (2006) Effect of Medial Meniscal Release on Tibial Translation After Tibial Plateau Leveling Osteotomy. *Veterinary Surgery* 35:486–494
- Priddy NH, Tomlinson JL, Dodam JR (2003) Complications with and owner assessment of the outcome of tibial plateau leveling osteotomy for treatment of cranial cruciate ligament rupture in dogs: 193 cases (1997–2001). *Journal of the American Veterinary Medical Association* 222:1726–1732
- Roe SC, Cue J, Gemma J (2008) Isometry of potential suture attachment sites for the cranial cruciate ligament deficient canine stifle. *Veterinary and Comparative Orthopaedics and Traumatology* 21: 215–220
- Slocum B, Devine T (1984) Cranial tibial wedge osteotomy: a technique for eliminating cranial tibial thrust in cranial cruciate ligament repair. *Journal of the American Veterinary Medicine Association* 184: 564–569
- Slocum B, Slocum T (1993) Tibial plateau levelling osteotomy for repair of cranial cruciate ligament rupture in the canine. *Veterinary Clinics of North America: Small Animal Practice* 23(4): 777–795
- Smith GK, Torg JS (1985) Fibular head transposition for repair of cruciate-deficient stifle in the dog. *Journal of the American Veterinary Medical Association* 187: 375–383
- Talaat MB, Kowaleski MP, Boudrieau RJ (2006) Combination tibial plateau leveling osteotomy and cranial closing wedge osteotomy of the tibia for the treatment of cranial cruciate ligament-deficient stifles with excessive tibial plateau angles. *Veterinary Surgery* 35: 729–739
- Tepec S, Damur DM, Montavon PM (2002) Biomechanics of the stifle joint. Proceedings of the 1st World Orthopaedic Veterinary Congress. Munich, Germany, 2002, pp 189–190
- Thieman KM, Tomlinson JL, Fox DB, Cook C, Cook JL (2006) Effect of Meniscal Release on Rate of Subsequent Meniscal Tears and Owner-Assessed Outcome in Dogs with Cruciate Disease Treated with Tibial Plateau Leveling Osteotomy. *Veterinary Surgery* 35:705–710, 2006
- Vasseur PB (1984) Clinical results following nonsurgical management for rupture of the cranial cruciate ligament in dogs. *Veterinary Surgery* 13: 243–246
- Warzee CC, Dejardin LM, Arnoczky SP, Perry RL (2001) Effect of tibial plateau levelling on cranial and caudal tibial thrusts in canine cranial cruciate-deficient stifles: an in vitro experimental study. *Veterinary Surgery* 30: 278–286
- Wucherer KL, Conzemius MG, Evans R, Wilke VL (2013) Short-term and long-term outcomes for overweight dogs with cranial cruciate ligament rupture treated surgically or nonsurgically. *Journal of American Veterinary Medicine Association* 242: 1364–1372