

Canine hip dysplasia: diagnosis and management

References

Banfield CM, Bartels JE, Hudson JA, *et al.* (1996) A retrospective study of canine hip dysplasia in 116 military working dogs. Part II: clinical signs and performance data. *Journal of the American Animal Hospitals Association* 32, 423-430

Bardens JW, Hardwick H (1968) New observations on the diagnosis and cause of hip dysplasia. *Veterinary Medicine Small Animal Clinics* 63, 238-245

Bardens JW (1973) Joint laxity as hip dysplasia. Abstract: Proceedings of the Canadian Hip Dysplasia Symposium and Workshop 1973, Columbia, MO, USA. pp 71-77

Barr ARS, Denny HR, Gibbs C (1987) Clinical hip dysplasia in growing dogs: the long-term results of conservative management. *Journal of Small Animal Practice* 28, 243-247

Bernardé A (2010) Juvenile pubic symphysiodesis and juvenile pubic symphysiodesis associated with pectineus myotomy: short-term outcome in 56 dysplastic puppies. *Veterinary surgery* 39, 158-164

Carmichael S (2006) Putting theory into practice- best practice management for osteoarthritis. *The European Journal of Companion Animal Practice* 16, 27-31

Dennis R (2012) Interpretation and use of BVA/KC hip scores in dogs. *In Practice* 34, 178-194

DeYoung DJ, DeYoung BA, Aberman HA (1992) Implantation of an uncemented total hip prosthesis. Technique and initial results of 100 arthroplasties. *Veterinary Surgery* 21, 168-177

DeYoung DJ, Schiller RA, DeYoung BA (1993) Radiographic assessment of a canine uncemented porous-coated anatomic total hip prosthesis. *Veterinary Surgery* 22, 473-481

Dueland RT, Adams Wm, Fialkowski JP, *et al.* (2001) Effects of pubic symphysiodesis in dysplastic puppies. *Veterinary Surgery* 30, 201-217

Fitzpatrick N, Law AY, Bielecki M, *et al.* (2014) Cementless total hip replacement in 20 juveniles using BFX™ arthroplasty. *Veterinary Surgery* 43, 715-725

Forster KE, Wills A, Torrington AM, *et al.* (2012) Complications and owner assessment of canine total hip replacement: a multicentre internet based survey. *Veterinary Surgery* 41, 545-550

Ihemelandu EC, Cardinet GH, Guffy MM, *et al.* (1983) Canine hip dysplasia: difference in pectineal muscles of healthy and dysplasia German shepherd dogs when two months old. *American Journal of Veterinary Research* 44, 411-416

- Hjelm-Bjorkman AK, Kuusela E, Liman A, *et al.* (2003) Evaluation of methods for assessment of pain associated with chronic osteoarthritis in dogs. *Journal of the American Veterinary Medical Association* 222, 1552-1558
- Johnson AL, Smith CW, Pijanowski GJ, *et al.* (1998) Triple pelvic osteotomy: effect on limb function and progression of degenerative joint disease. *Journal of the American Animal Hospital Association* 34, 260-264
- Kealy RD, Olsson SE, Monti KL, *et al.* (1992) Effects of limited food consumption on the incidence of hip dysplasia in growing dogs. *Journal of the American Veterinary Medical Association* 201, 857-863
- Kealy RD, Lawler DF, Ballam JM, *et al.* (1997) Five-year longitudinal study on limited food consumption and development of osteoarthritis in coxofemoral joints in dogs. *Journal of the American Veterinary Medical Association* 210, 222-225
- Krontveit RI, Nodtvedt A, Saevik BK, *et al.* (2012) Housing- and exercise-related risk factors associated with the development of hip dysplasia as determined by radiographic evaluation in a prospective cohort of Newfoundlands, Labrador retrievers, Leonbergers and Irish wolfhounds in Norway. *American Journal of Veterinary Research* 73, 838-846
- Leighton EA, Smith GK, McNeil M, *et al.* (1994) Heritability of the distraction index in German shepherd dogs and Labrador retrievers. Proceedings of the Molecular Genetics and Canine Genetic Health Conference. October 7 to 8. American Kennel Club, Florham, USA.
- Lister SA, Roush JK, Renberg WC, *et al.* (2009) Ground reaction force analysis of unilateral coxofemoral denervation for the treatment of canine hip dysplasia. *Veterinary and Comparative Orthopaedics and Traumatology* 22, 137-141
- Lust G (1997) An overview of the pathogenesis of canine hip dysplasia. *Journal of the American Veterinary Medical Association* 210, 1443-1445
- Mansson J, Norberg I (1961) Dysplasia of the hip in dogs: hormonally induced flaccidity of the ligaments followed by dysplasia of the acetabulum in puppies. *Medlemsblad Sveriges VeterinarFoerbund* 13, 330-339
- Marschall Y, Distl O (2007) Mapping quantitative trait loci for canine hip dysplasia in German shepherd dogs. *Mammalian Genome* 18, 861-870
- Massat BJ, Vasseur PB (1994) Clinical and radiographic results of total hip arthroplasty in dogs: 96 cases (1986-1992) *Journal of the American Veterinary Medical Association* 205, 448-454
- Off W, Matis U (2010) Excision arthroplasty of the hip joint in dogs and cats. *Veterinary and Comparative Orthopaedics and Traumatology* 23, 297-305

- Olmstead ML (1995) The canine cemented modular total hip prosthesis. *Journal of the American Animal Hospitals Association* 31, 109-124
- Olsson SE (1962) Roentgen examination of the hip joints in German shepherd dogs. *Advances in Small Animal Practice* 3, 117
- Powers MY, Biery DN, Lawler DF, *et al.* (2004) Use of the caudolateral curvilinear osteophyte as an early marker for future development of osteoarthritis associated with hip dysplasia in dogs. *Journal of the American Veterinary Medical Association* 225, 233-237
- Powers MY, Martinez SA, Lincoln JD, *et al.* (2005) Prevalence of cranial cruciate ligament rupture in a population of dogs with lameness previously attributed to hip dysplasia: 369 cases (1994-2003). *Journal of the American Veterinary Medical Association* 227, 1109-1111
- Rawson EA, Aronsohn MG, Burk RL (2005) Simultaneous bilateral femoral head and neck ostectomy for the treatment of canine hip dysplasia. *Journal of the American Animal Hospitals Association* 41, 166-170
- Richardson DC (1992) The role of nutrition in canine hip dysplasia. *Veterinary Clinics of North America: Small Animal Practice* 22, 529-540
- Riser WH, Cohen D, Lindqvist S, *et al.* (1964) Influence of early rapid growth and weight gain on hip dysplasia in the German shepherd dog. *Journal of the American Veterinary Medical Association* 145, 661-668
- Riser WH, Shirer JF (1966) Hip dysplasia: coxofemoral abnormalities in neonatal German shepherd dogs. *Journal of Small Animal Practice* 7, 7-12
- Riser WH (1975) The dog as a model for the study of hip dysplasia. Growth, form and development of the normal and dysplastic hip joint. *Veterinary Pathology* 12, 234-334
- Riser WH, Newton CD (1981) In: *Pathophysiology in Small Animal Surgery*, Philadelphia, Lea and Febiger Publishing, 1981
- Rose SA, Bruecker KA, Petersen SW, *et al.* (2012) Use of locking plate and screws for triple pelvic osteotomy. *Veterinary Surgery* 41, 114-120
- Seibert R, Marcellin-Little DJ, Roe SC, *et al.* (2012) Comparison of body weight distribution, peak vertical force and vertical impulse as measures of hip joint pain and efficacy of total hip replacement. *Veterinary Surgery* 41, 443-447
- Smith GK, Biery DN, Gregor TP (1990) New concepts of coxofemoral joint stability and the development of a clinical stress-radiographic method for quantitating hip joint laxity in the dog. *Journal of the American Veterinary Medical Association* 196, 59-70

- Smith GK, Popovitch CA, Gregor TP, *et al.* (1995) Evaluation of risk factors for degenerative joint disease associated with hip dysplasia in dogs. *Journal of the American Veterinary Medical Association* 206, 642-647
- Smith GK, Paster ER, Powers MY, *et al.* (2006) Lifelong diet restriction and radiographic evidence of osteoarthritis of the hip joint in dogs. *Journal of the American Veterinary Medical Association* 229, 690-693
- Todhunter RJ, Mateescu R, Lust G, *et al.* (2005) Quantitative trait loci for hip dysplasia in a crossbred canine pedigree. *Mammalian Genome* 16, 720-730
- Torres BT, Budsberg SC (2009) Revision of cemented total hip arthroplasty with cementless components in three dogs. *Veterinary Surgery* 38, 81-86
- Valdes AM, Doherty M, Spector S (2008) The additive effect of individual genes in predicting risk of knee osteoarthritis. *Annals of the rheumatic diseases* 67, 124-127
- Van Hagen MAE, Ducro BJ, van den Broek J, *et al.* (2005) Incidence, risk factors and heritability estimates of hind limb lameness caused by hip dysplasia in a birth cohort of boxers. *American Journal of Veterinary Research* 66, 307-312
- Vezzoni A, Dravelli G, Vezzoni L, *et al.* (2010) Comparison of conservative management and juvenile pubic symphysiodesis in the early treatment of canine hip dysplasia. *Veterinary and Comparative Orthopaedics and Traumatology* 21, 267-279
- Vezzoni A, Boiocchi S, Vezzoni L, *et al.* (2010) Double pelvic osteotomy for the treatment of hip dysplasia in young dogs. *Veterinary and Comparative Orthopaedics and Traumatology* 23, 444-452
- Wood JL, Lakani KH, Rogers K (2002) Heritability and epidemiology of canine hip dysplasia score and its components in Labrador retrievers in the UK. *Preventive Veterinary Medicine* 55, 95-108