

Clinical update: Vaccinating
against canine leptospirosis

References

Arent ZJ, Andrews S, Adamama-Moraitou K, *et al.* (2013) Emergence of novel *Leptospira* serovars: a need for adjusting vaccination policies for dogs? *Epidemiol Infect* 141, 1148-1153

Branger C, Blanchard B, Fillonneau C, *et al.* (2005) Polymerase chain reaction assay specific for pathogenic *Leptospira* based on the gene hap1 encoding the hemolysis-associated protein-1. *FEMS Microbiol Lett* 243, 437-445

Brem S, Kopp H & Meyer P. (1990) *Leptospira* antibody detection in dog serum in the years 1985 to 1988. *Berl Munch Tierarztl Wochenschr* 103, 6-8 (In German)

Brett-Major DM and Coldren R. (2012) Antibiotics for leptospirosis. Cochrane Database Syst Rev, CD008264. DOI: 10.1002/14651858.CD008264.pub2

Burr P, Lunn K and Yam P. (2009) Current perspectives on canine leptospirosis. *In Practice* 31(3), 98-102

C nat N & Fodor I. (2006) Research regarding the prevalence of leptospirosis in stray dogs. Lucrařri s tiint ifice. Seria C, Medicinař veterinarã 40:322-327. (In Romanian)

Claus A, De Maele IV, Pasmans F, *et al.* (2008) Leptospirosis in dogs: a retrospective study of seven clinical cases in Belgium. *Vlaams Diergeneeskd Tijdschr* 77, 259-263

Curtis KM, Foster PC, Smith PS, *et al.* (2015) Performance of a Recombinant LipL32 Based Rapid In-clinic ELISA (SNAP® Lepto) for the Detection of Antibodies Against *Leptospira* in Dogs. *Intern J Appl Res Vet Med* 13 (3), 182-189

Day MJ, Horzinek MC and Schultz RD. (2010) WSAVA guidelines for the vaccination of dogs and cats. *J Small Anim Pract* 51(6), 338-356

De Brito T, Menezes LF, Lima DM, *et al.* (2006) Immunohistochemical and in situ hybridization studies of the liver and kidney in human leptospirosis. *Virchows Archiv* 448, 576-583

Ellis WA (2010) Control of canine leptospirosis in Europe: time for a change? *Vet Rec* 167, 602-605

European Medicines Agency 1 (31/07/2014) Versican Plus L4 - EMEA/V/C/003680.

http://www.ema.europa.eu/docs/en_GB/document_library/EPAR_-_Product_Information/veterinary/003680/WC500175887.pdf. [accessed 11/01/2016]

European Medicines Agency 2 (07/05/2015) Nobivac L4 -EMA/V/C/002010 - II/0003. http://www.ema.europa.eu/docs/en_GB/document_library/EPAR_-_Product_Information/veterinary/002010/WC500138215.pdf. [accessed 11/01/2016]

Fink JM, Moore GE, Landau R, *et al.* (2015) Evaluation of three 5' exonuclease-based real-time polymerase chain reaction assays for detection of pathogenic *Leptospira* species in canine urine. *J Vet Diagn Invest* 27, 159-166

Fraune CK, Schweighauser A and Francey T (2013) Evaluation of the diagnostic value of serologic microagglutination testing and a polymerase chain reaction assay for diagnosis of acute leptospirosis in dogs in a referral center. *J Am Vet Med Assoc* 242, 1373-1380

Ghneim GS, Viers JH, Chomel BB, *et al.* (2007) Use of a case-control study and geographic information systems to determine environmental and demographic risk factors for canine leptospirosis. *Vet Res* 38, 37-50

Greenlee JJ, Alt DP, Bolin CA, *et al.* (2005) Experimental canine leptospirosis caused by *Leptospira interrogans* serovars *pomona* and *bratislava*. *Am J Vet Res* 66, 1816-1822

Geier-Dömling D, Heil-Franke G and Müller E. (2003) The prevalence of serum antibodies against some *Leptospira* in dogs. *Kleintierpraxis* 48 (12), 755–758 (In German)

Guidugli F, Castro AA and Atallah AN. (2000) Antibiotics for treating leptospirosis. *Cochrane Database Syst Rev*, CD001306. DOI: 10.1002/14651858.CD001306.

Harkin KR. (2009) Leptospirosis. In: Kirk's Current Veterinary Therapy XIV. 14th edn. Eds Bonagura JD and Twedt DC. Saunders. pp 1237–1240.

Harkin KR, Roshto YM, Sullivan JT, *et al.* (2003) Comparison of polymerase chain reaction assay, bacteriologic culture, and serologic testing in assessment of prevalence of urinary shedding of leptospires in dogs. *J Am Vet Med Assoc* 222 (9), 1230–1233

Hennebelle JH, Sykes JE, Carpenter TE, *et al.* (2013) Spatial and temporal patterns of *Leptospira* infection in dogs from northern California: 67 cases (2001-2010). *J Am Vet Med Assoc* 242, 941-947

Jansen A, Schöneberg I, Frank C, *et al.* (2005) Leptospirosis in Germany, 1962-2003. *Emerg Infect Dis* 11, 1048-1054

Ko AI, Goarant C and Picardeau M. (2009) *Leptospira*: the dawn of the molecular genetics era for an emerging zoonotic pathogen. *Nat Rev Microbiol* 7, 736-747

- Kohn B, Steinicke K, Arndt G, *et al.* (2010) Pulmonary abnormalities in dogs with leptospirosis. *J Vet Intern Med* 24, 1277-1282
- Koizumi N, Muto MM, Izumiya H, *et al.* (2015) Multiple-locus variable-number tandem repeat analysis and clinical characterization of *Leptospira interrogans* canine isolates. *J Med Microbiol* 64, 288-294
- Lee HS, Levine M, Guptill-Yoran C, *et al.* (2014) Regional and temporal variations of leptospira seropositivity in dogs in the United States, 2000-2010. *J Vet Intern Med* 28, 779-788
- Major A, Schweighauser A and Francey T. (2014) Increasing incidence of canine leptospirosis in Switzerland. *Int J Environ Res Public Health* 11, 7242-7260
- Martin LE, Wiggans KT, Wennogle SA, *et al.* (2014) Vaccine-associated leptospira antibodies in client-owned dogs. *J Vet Intern Med* 28, 789-792
- Mastrorilli C, Dondi F, Agnoli C, *et al.* (2007) Clinicopathologic features and outcome predictors of *Leptospira interrogans* Australis serogroup infection in dogs: a retrospective study of 20 cases (2001-2004). *Journal of Veterinary Internal Medicine* 21, 3-10
- Midence JN, Leutenegger CM, Chandler AM, *et al.* (2012) Effects of recent *Leptospira* vaccination on whole blood real-time PCR testing in healthy client owned dogs. *J Vet Intern Med* 26, 149-152
- Miller MD, Annis KM, Lappin MR, *et al.* (2011) Variability in results of the microscopic agglutination test in dogs with clinical leptospirosis and dogs vaccinated against leptospirosis. *J Vet Intern Med* 25, 426-432
- Moore GE, Guptill LF, Ward MP, Glickman NW, Faunt KK, *et al.* (2005) Adverse events diagnosed within three days of vaccine administration in dogs. *J Am Vet Med Assoc* 227:1102-1108.
- Rodriguez J, Blais MC, Lapointe C, *et al.* (2014) Serologic and urinary PCR survey of leptospirosis in healthy cats and in cats with kidney disease. *J Vet Intern Med* 28, 284-293
- Rojas P, Monahan AM, Schuller S, *et al.* (2010) Detection and quantification of leptospires in urine of dogs: a maintenance host for the zoonotic disease leptospirosis. *Eur J Clin Microbiol Infect Dis* 29, 1305-1309
- Scanziani E, Origgi F, Giusti AM, *et al.* (2002) Serological survey of leptospiral infection in kennelled dogs in Italy. *J Small Anim Pract* 43, 154-157
- Schuller S, Callanan JJ, Worrall S, *et al.* (2015a) Immunohistochemical detection of IgM and IgG in lung tissue of dogs with leptospiral pulmonary haemorrhage syndrome (LPHS). *Comp Immunol Microbiol Infect Dis* 40, 47-53
- Schuller S, Francey T, Hartmann K, *et al.* (2015b) European consensus statement on leptospirosis in dogs and cats. *J Small Anim Pract* 56, 159-179

Sobiech E, Babicz-Bury J and Przymus J. (1999) Prevalence of antibodies against selected *Leptospira* serotypes in canine sera. *Zycie Weterynaryjne* 74, 332-333 (In Polish)

Stokes JE, Kaneene JB, Schall WD, *et al.* (2007) Prevalence of serum antibodies against six *Leptospira* serovars in healthy dogs. *J Am Vet Med Assoc* 230 (11), 1657–1664

Truccolo J, Charavay F, Merien F, *et al.* (2002) Quantitative PCR assay to evaluate ampicillin, ofloxacin, and doxycycline for treatment of experimental leptospirosis. *Antimicrob Agents Chemother* 46, 848-853

Van den Broek AHM, Thrusfield MV, Dobbie GR, *et al.* (1991) A serological and bacteriological survey of leptospiral infection in dogs in Edinburgh and Glasgow. *J Small Anim Pract* 32, 118-124

Wilson S, Stirling S, Thomas A, *et al.* (2013) A new multivalent (DHPPi/L4R) canine combination vaccine prevents infection, shedding and clinical signs following experimental challenge with four *Leptospira* serovars. *Vaccine* 31, 3131-3134

Winzelberg S, Tasse SM, Goldstein RE, *et al.* (2015) Evaluation of SNAP® Lepto in the Diagnosis of Leptospirosis Infections in dogs: Twenty two Clinical Cases. *Intern J Appl Res Vet Med* 13 (3), 194-198