

2017 Issue one - Acute infectious gastroenteritis in UK dogs. Part 1: viruses, bacteria and parasites.

References:

- Adamantos, S. & Warman, S. (2014). Diagnoses of canine distemper virus in puppies. *Vet Rec* 174, 483.
- Batchelor, D. J., Tzannes, S., Graham, P. A., Wastling, J. M., Pinchbeck, G. L. & German, A. J. (2008). Detection of Endoparasites with Zoonotic Potential in Dogs with Gastrointestinal Disease in the UK. *Transbound Emerg Dis* 55, 99–104.
- Busch, K., Suchodolski, J. S., Kühner, K. A., Minamoto, Y., Steiner, J. M., Mueller, R. S., Hartmann, K. & Unterer, S. (2015). Clostridium perfringens enterotoxin and Clostridium difficile toxin A / B do not play a role in acute haemorrhagic diarrhoea syndrome in dogs. *Vet Rec* 253.
- Caddy, S. & Goodfellow, I. (2015). Complete genome sequence of canine astrovirus with molecular and epidemiological characterization of UK strains. *Vet Microbiol* 177, 206–13.
- Caddy, S., Emmott, E., El-Attar, L., Mitchell, J., de Rougemont, A., Brownlie, J. & Goodfellow, I. (2013). Serological Evidence for Multiple Strains of Canine Norovirus in the UK Dog Population. *PLoS One* 8, e81596.
- Carmona-Vicente, N., Buesa, J., Brown, P. A., Merga, J. Y., Darby, A. C., Stavisky, J., Sadler, L., Gaskell, R. M., Dawson, S. & Radford, A. D. (2013). Phylogeny and prevalence of kobuviruses in dogs and cats in the UK. *Vet Microbiol* 164, 246–52.
- Decaro, N. & Buonavoglia, C. (2008). An update on canine coronaviruses: viral evolution and pathobiology. *Vet Microbiol* 132, 221–34.
- Epe, C., Rehker, G., Schnieder, T., Lorentzen, L. & Kreienbrock, L. (2010). Veterinary Parasitology Giardia in symptomatic dogs and cats in Europe — Results of a European study. *Vet Parasitol* 173, 32–38. Elsevier B.V.
- Godsall, S. A., Clegg, S. R., Stavisky, J. H., Radford, A. D. & Pinchbeck, G. (2010). Epidemiology of canine parvovirus and coronavirus in dogs presented with severe diarrhoea to PDSA PetAid hospitals. *Vet Rec* 167, 196–201.
- Greene. (2012). *Infectious Diseases of the Dog and Cat*, Fourth Edi. (Greene, Ed.). St Louis, Missouri: Elsevier.
- Hald, B., Pedersen, K., Wainø, M. & Jørgensen, J. C. (2004). Longitudinal Study of the Excretion Patterns of Thermophilic Campylobacter spp. in Young Pet Dogs in Denmark. *J Clin Microbiol* 42, 2003–2012.
- Jones, P. H., Dawson, S., Gaskell, R. M., Coyne, K. P., Tierney, A., Setzkorn, C., Radford, a D. & Noble, P.J. M. (2014). Surveillance of diarrhoea in small animal practice through the Small Animal Veterinary Surveillance Network (SAVSNET). *Vet J* 201, 412–8.
- Kapoor, A., Simmonds, P., Dubovi, E. J., Qaisar, N., Henriquez, J. A., Medina, J., Shields, S. & Lipkin, W. I. (2011). Characterization of a canine homolog of human Aichivirus. *J Virol* 85, 11520–5.
- Keenan, K. P., Jarvis, H. R., Marchwicki, R. H. & Binn, L. N. (1976). Intestinal infection of neonatal dogs with canine coronavirus 1-71: studies by virologic, histologic, histochemical, and immunofluorescent techniques. *Am J Vet Res* 37, 247–56.
- Li, L., Pesavento, P. a, Shan, T., Leutenegger, C. M., Wang, C. & Delwart, E. (2011). Viruses in diarrhoeic dogs include novel kobuviruses and sapoviruses. *J Gen Virol* 92, 2534–41.
- Macartney, L., Al-Mashat, R. R., Taylor, D. J. & McCandlish, I. A. (1988). Experimental infection of dogs with Campylobacter jejuni. *Vet Rec* 122, 245–9.

- Marks, S. L., Rankin, S. C., Byrne, B. a. & Weese, J. S. (2011). ACVIM Consensus Statment: Enteropathogenic Bacteria in Dogs and Cats: Diagnosis, Epidemiology, Treatment, and Control. *J Vet Intern Med* 25, 1195–1208.
- Mughini Gras, L., Smid, J. H., Wagenaar, J. A., Kpene, M. G. J., Havelaar, A. H., Friesma, I. H. M., French, N. P., Flemming, C., Galson, J. D. & other authors. (2013). Increased risk for *Campylobacter jejuni* and *C. coli* infection of pet origin in dog owners and evidence for genetic association between strains causing infection in humans and their pets. *Epidemiol Infect* 141, 2526–2535.
- Olson, P. & Sandstedt, K. (1987). *Campylobacter* in the dog: a clinical and experimental study. *Vet Rec* 121, 99–101.
- Parsons, B. N., Williams, N. J., Pinchbeck, G. L., Christley, R. M., Hart, C. a, Gaskell, R. M. & Dawson, S. (2011). Prevalence and shedding patterns of *Campylobacter* spp. in longitudinal studies of kennelled dogs. *Vet J* 190, 249–54. Elsevier Ltd.
- Philbey, A., Gibbons, J., Philbey, A. W., Mather, H. A., Gibbons, J. F., Thompson, H., Taylor, D. J. & Coia, J. E. (2016). Serovars , bacteriophage types and antimicrobial sensitivities associated with salmonellosis in dogs in the UK (1954 – 2012).
- Pratelli, A., Tempesta, M., Roperto, F., Sagazio, P., Carmichael, L. & Buonavoglia, C. (1999). Fatal Coronavirus Infection in Puppies following Canine Parvovirus 2b Infection. *J Vet Diagnostic Investig* 11, 550–553.
- Sato, Y., Mori, T., Koyama, T. & Nagase, H. (2000). *Salmonella virchow* infection in an infant transmitted by household dogs. *J Vet Med Sci* 62, 767–9.
- Simpson, K. W., Dogan, B., Rishniw, M., Goldstein, R. E., Klaessig, S., Mcdonough, P. L., German, A. J., Yates, R. M., Russell, D. G. & other authors. (2006). Adherent and Invasive *Escherichia coli* Is Associated with Granulomatous Colitis in Boxer Dogs. *Infect Immun* 74, 4778–4792.
- Stavisky, J., Pinchbeck, G., German, A., Dawson, S., Gaskell, R., Ryvar, R. & Radford, A. (2010). Prevalence of canine enteric coronavirus in a cross-sectional survey of dogs presenting at veterinary practices. *Vet Microbiol* 140, 18–24.
- Stavisky, J., Radford, A. D., Gaskell, R., Dawson, S., German, A., Parsons, B., Clegg, S., Newman, J. & Pinchbeck, G. (2011). A case-control study of pathogen and lifestyle risk factors for diarrhoea in dogs. *Prev Vet Med* 99, 185–92.
- Tennant, B., Gaskell, R., Jones, R. & Gaskell, C. (1991). Prevalence of antibodies to 4 major canine viral diseases in a liverpool hospital population. *J Small Anim Pract* 32, 175–179.
- Thomson, G. W. & Gagnon, a N. (1978). Canine gastroenteritis associated with a parvovirus-like agent. *Can Vet J* 19, 346.
- Walker, D., Beard, P., Sharp, C. & Philbey, A. (2014). Canine distemper imported into the UK. *Vet Rec* 175, 433.
- Wu, F.-T., Bányai, K., Lin, J.-S., Wu, H.-S., Hsiung, C. A., Huang, Y.-C., Hwang, K.-P., Jiang, B. & Gentsch, J. R. (2012). Putative canine origin of rotavirus strain detected in a child with diarrhoea, Taiwan. *Vector borne zoonotic Dis* 12, 170–3.