

REFERENCES AND FURTHER READING

1. Alvarez FJ, Hosoya K, Lara-Garcia A, *et al.* (2013) VAC protocol for treatment of dogs with stage III hemangiosarcoma. *Journal of the American Animal Hospital Association* 49, 370-377
2. Bertazzolo W, Dell'Orco M, Bonfanti U *et al.* (2005) Canine angiosarcoma: cytologic, histologic, and immunohistochemical correlations *Veterinary Clinical Pathology* 34, 28-34
3. Bisson BA and Holmberg DL (2001) Use of pericardial patch graft reconstruction of the right atrium for treatment of hemangiosarcoma in a dog. *Journal of the American Veterinary Medicine Association* 218, 723
4. Bower MR, Ellis SF, Scoggins CR, *et al.* (2011) Phase II comparison study of intraoperative autotransfusion for major oncologic procedures. *Annals of Surgical Oncology* 18, 166-173
5. Bray JP, Orbell G, Cave N *et al.* (2018). Does thalidomide prolong survival in dogs with splenic haemangiosarcoma? *Journal of Small Animal Practice* 59, 85-91
6. Brown NO, Patnaik AK, MacEwen EG (1985): Canine hemangiosarcoma: retrospective analysis of 104 cases, *J Am Vet Med Assoc* 186:56–58, 1985.
7. Brown NO, Patnaik AK, MacEwen EG. (1985) Canine hemangiosarcoma: retrospective analysis of 104 cases. *Journal of the American Veterinary Medicine Association* 186, 56–8.
8. Bulakowski EJ, Philibert JC, Siegel S, *et al.* (2008) Evaluation of outcome associated with adjuvant doxorubicin in dogs: 21 cases (2001-2006). *Journal of the American Veterinary Medicine Association* 233, 122-128.
9. Cleveland, MJ and Casale, S. (2016) Incidence of malignancy and outcomes for dogs undergoing splenectomy for incidentally detected nonruptured splenic nodules or masses: 105 cases (2009–2013) *Journal of the American Veterinary Medical Association* 248,1267-1273
10. Clifford CA, Hughes D, Beal MW *et al.* (2001): Plasma vascular endothelial growth factor concentrations in healthy dogs and dogs with hemangiosarcoma. *Journal of Veterinary Internal Medicine* 15(2), 131-5
11. Dickerson EB, Marley K, Edris W *et al.* (2013) Imatinib and Dasatinib Inhibit Hemangiosarcoma and Implicate PDGFR- β and Src in Tumor Growth. *Translational Oncology* 6, 158
12. Fosmire SP, Dickerson EB, Scott AM *et al.* (2004) Canine malignant hemangiosarcoma as a model of primitive angiogenic endothelium. *Laboratory Investigation* 84, 562
13. Gamlem H, Nordstoga K. (2008) Canine vascular neoplasia–histologic classification and immunohistochemical analysis of 221 tumours and tumour-like

lesions *APMIS Journal of Pathology, Microbiology and Immunology* Suppl,19–40

14. Gardner HL, London CA, Portela RA et al (2015) Maintenance therapy with toceranib following doxorubicin-based chemotherapy for canine splenic hemangiosarcoma. *BMC Veterinary Research* 11, 131
15. Hahn KA (1990) Vincristine sulfate as single-agent chemotherapy in a dog and a cat with malignant neoplasms. *Journal of the American Veterinary Medicine Association* 197, 504-6.
16. Hammer AS, Couto CG, Filippi J, et al. (1991) Efficacy and toxicity of VAC chemotherapy (vincristine, doxorubicin and cyclophosphamide) in dogs with hemangiosarcoma. *Journal of Veterinary Internal Medicine* 5, 160-166.
17. Hammer AS, Couto CG, Swardson C, et al. (1991) Hemostatic abnormalities in dogs with hemangiosarcoma. *Journal of Veterinary Internal Medicine* 5, 11–14
18. Hargis AM, Feldman BF (1991). Evaluation of hemostatic defects secondary to vascular tumors in dogs: 11 cases (1983-1988). *Journal of the American Veterinary Medicine Association* 198, 891-4
19. Hirsch V, Jacobsen J, Mills J (1981) A retrospective study of canine hemangiosarcoma and its association with acanthocytosis *Canadian Veterinary Journal* 22, 152–155
20. Johnson KA, Powers BE, Withrow SJ, et al. (1989) Splenomegaly in dogs. Predictors of neoplasia and survival after splenectomy. *Journal of Veterinary Internal Medicine* 3, 160–166.
21. Kodama A, Sakai H, Matsuura S, Murakami M, Murai A, Mori T. et al. (2009) Establishment of canine hemangiosarcoma xenograft models expressing endothelial growth factors, their receptors, and angiogenesis-associated homeobox genes. *BMC Cancer* 9:363.
22. Lamerato-Kozicki AR, Helm KM, Jubala CM, et al. (2006) Canine hemangiosarcoma originates from hematopoietic precursors with potential for endothelial differentiation *Experimental Haematology* 34, 870–878
23. Lana S, U'Ren L, Plaza S, et al (2007) Continuous low-dose oral chemotherapy for adjuvant therapy of splenic hemangiosarcoma in dogs. *Journal of Veterinary Internal Medicine* 21, 764-769.
24. Locke JE and Barber LG (2006) Comparative aspects and clinical outcomes of canine renal hemangiosarcoma. *Journal of Veterinary Internal Medicine* 20, 962-967.
25. Lyles SE, Milner RJ, Kow K. et al. (2012) In vitro effects of the tyrosine kinase inhibitor, masitinib mesylate, on canine hemangiosarcoma cell lines. *Veterinary Comparative Oncology* 10, 223
26. MacEwen EG, Powers BE, Macy D, et al. (2001) Soft tissue sarcomas. In *Small Animal Clinical Oncology* 3rd edn. Eds. Withrow SJ & MacEwen EG. W.B Saunders Philadelphia
27. Mallinckrodt, MJ, Gottfried, SD (2011) Mass-to-splenic volume ratio and splenic weight as a percentage of body weight in dogs with malignant and benign

- splenic masses: 65 cases (2007-2008) *Journal of the American Veterinary Medical Association* 239, 1325.
28. Maruyama H, Miura T, Sakai M *et al.* (2004) The incidence of disseminated intravascular coagulation in dogs with malignant tumours. *Journal of Veterinary Medical Science* 66, 573-5
 29. Ogilvie GK, Powers BE, Mallinckrodt CH. *et al.* (1996) Surgery and doxorubicin in dogs with hemangiosarcoma. *Journal of Veterinary Internal Medicine* 10, 379-384.
 30. Schultheiss PC (2004) A retrospective study of visceral and nonvisceral hemangiosarcoma and hemangiomas in domestic animals *Journal of Veterinary Diagnostic Investigation* 16, 522–526.
 31. Smith, A.N. (2003) Hemangiosarcoma in dogs and cats. *Veterinary Clinics of North America: Small Animal Practice* 33, 533–552.
 32. Sorenmo K, Duda L, Baber L, *et al* (2000) Canine hemangiosarcoma treated with standard chemotherapy and minocycline. *Journal of Veterinary Internal Medicine* 14, 395-398.
 33. Sorenmo KU, Baez JL, Clifford CA, *et al.* (2004) Efficacy and toxicity of a dose-intensified doxorubicin protocol in canine hemangiosarcoma. *Journal of Veterinary Internal Medicine* 18, 209-213.
 34. Srebernik N, Appleby EC (1991): Breed prevalence and sites of haemangioma and haemangiosarcoma in dogs, *Veterinary Records* 129:408–409
 35. Tamburini BA, Phang TL, Fosmire SP *et al.* (2010) Gene expression profiling identifies inflammation and angiogenesis as distinguishing features of canine hemangiosarcoma *BMC Cancer* 10, 619.
 36. Tamburini BA, Trapp S, Phang TL *et al* (2009) Gene expression profiles of sporadic canine hemangiosarcoma are uniquely associated with breed *PLoS One* 4, e5549
 37. Thamm DH, Dickerson EB, Akhtar N *et al.* (2006) Biological and molecular characterization of a canine hemangiosarcoma-derived cell line. *Research in Veterinary Science* 81, 76
 38. Thamm DH, Helfand SC (2000) Acquired coagulopathy III: neoplasia. In Schalm's *Veterinary Haematology*. 5th edn. Eds Feldman BF, Zinkl JG, Jain NC, Lippincott Williams & Wilkins, Philadelphia
 39. U'Ren LW, Biller BJ, Elmslie RE, *et al.* (2007) Evaluation of a novel tumor vaccine in dogs with hemangiosarcoma. *Journal of Veterinary Internal Medicine* 21, 113-120
 40. Vail DM, McEwen EG, Kurzman ID. *et al.* (1995) Liposome-endocapsulated muramyl tripeptide phosphatidylethanolamine adjuvant immunotherapy for splenic hemangiosarcoma in the dog: A randomized multi-institutional clinical trial. *Clinical Cancer Research* 1, 1165-1170.
 41. Ware WA, Hopper DL. (1999) Cardiac tumors in dogs: 1982-1995. *Journal of Veterinary Internal Medicine* 13, 95
 42. Waters D, Caywood D, Hayden D. *et al.* (1988) Metastatic pattern in dogs with

splenic hemangiosarcoma *Journal of Small Animal Practice* 29, 805–814

43. Weisse C, Soares N, Beal MW. *et al.* (2005) Survival times in dogs with right atrial hemangiosarcoma treated by means of surgical resection with or without adjuvant chemotherapy: 23 cases. *Journal of the American Veterinary Medicine Association* 226, 575-579
44. Wendelburg KM, Price LL, Burgess KE *et al.* (2015) Survival time of dogs with splenic hemangiosarcoma treated by splenectomy with or without adjuvant chemotherapy: 208 cases (2001-2012). *Journal of the American Veterinary Medicine Association* 247, 393-403.
45. Withrow SJ, MacEwen EG Eds. (2012) *Small Animal Clinical Oncology*. 5th edn. W.B. Saunders, Philadelphia p679
46. Wong, RW. (2015) Erythrocyte and Biochemical Abnormalities as Diagnostic Markers in Dogs With Hemangiosarcoma Related Hemoabdomen. *Veterinary Surgery* 44, 852–857
47. Yamamoto S, Hoshi K, Hirakawa A. *et al.* (2013) Epidemiological, clinical and pathological features of primary cardiac hemangiosarcoma in dogs: a review of 51 cases. *Journal of Veterinary Medical Science* 75, 1433-41
48. Yonemaru K, Sakai H, Murakami M *et al.* (2006) Expression of vascular endothelial growth factor, basic fibroblast growth factor, and their receptors in canine vascular tumors. *Veterinary Pathology* 43, 971