

References

- Abrams-Ogg ACG, Rutland BE, Levis P, et al. (2017) Lymphoma and Symmetric Dimethylarginine Concentration. Proceedings of the American College of Veterinary Internal Medicine, Maryland, USA
- Braff J, Obare E, Yerramilli M, et al. (2014) Relationship between serum symmetric dimethylarginine concentration and glomerular filtration rate in cats. *Journal of Veterinary Internal Medicine* 28, 1699-1701
- Buresova E, Stock E, Vandermeulen E, et al. (2017) SDMA in hyperthyroid cats before and after treatment with radioiodine. Proceedings of the European College of Veterinary Internal Medicine, Malta
- Cowgill LD, Polzin DJ, Elliott J, et al. (2016) Is Progressive Chronic Kidney Disease a Slow Acute Kidney Injury? *Veterinary Clinics of North America: Small Animal Practice* 46, 995-1013
- Dickerson VM, Daniel R, Brown CA, et al. (2017) Assessment of acute kidney injury and renal fibrosis after renal ischemia protocols in cats. *Comparative Medicine* 67, 56-66
- Finch NC, Syme HM, Elliott J. (2012) Parathyroid hormone concentration in geriatric cats with various degrees of renal function. *Journal of the American Veterinary Medical Association* 241, 1326-1335
- Finch NC, Geddes RF, Syme HM, et al. (2013) Fibroblast Growth Factor 23 (FGF-23) Concentrations in Cats with Early Nonazotemic Chronic Kidney Disease (CKD) and in Healthy Geriatric Cats. *Journal of Veterinary Internal Medicine* 27, 227-233
- Finch N. (2014) Measurement of glomerular filtration rate in cats: methods and advantages over routine markers of renal function. *Journal of Feline Medicine and Surgery* 16, 736-748
- Geddes RF, Elliott J, Syme HM. (2013) The Effect of Feeding a Renal Diet on Plasma Fibroblast Growth Factor 23 Concentrations in Cats with Stable Azotemic Chronic Kidney Disease. *Journal of Veterinary Internal Medicine* 27, 1354-61
- Hall JA, Yerramilli M, Obare E, et al. (2014a) Comparison of Serum Concentrations of Symmetric Dimethylarginine and Creatinine as Kidney Function Biomarkers in Cats with Chronic Kidney Disease. *Journal of Veterinary Internal Medicine* 28, 1676-1683
- Hall JA, Yerramilli M, Obare E, et al. (2014b) Comparison of serum concentrations of symmetric dimethylarginine and creatinine as kidney function biomarkers in healthy geriatric cats fed reduced protein foods enriched with fish oil, L-carnitine, and medium-chain triglycerides. *The Veterinary Journal* 202, 588-596
- Hall JA, Yerramilli M, Obare E, et al. (2015) Relationship between lean body mass and serum renal biomarkers in healthy dogs. *Journal of Veterinary Internal Medicine* 29, 808-814

Hall JA, Yerramilli M, Obare E, et al. (2017) Serum concentrations of symmetric dimethylarginine and creatinine in cats with kidney stones. *PLOS ONE*, 12:e0174854

IDEXX (2016)

<https://www.idexx.eu/globalassets/documents/reference-laboratory/test/sdma/1609028-0916-eu-sdma-white-paper4.pdf> [accessed 18th April 2018]

Jepson RE (2016) Current Understanding of the Pathogenesis of Progressive Chronic Kidney Disease in Cats. *Veterinary Clinics of North America: Small Animal Practice* 46, 1015-1048

Kramann R, Dirocco DP, Maarouf OH, et al. (2013) Matrix Producing Cells in Chronic Kidney Disease: Origin, Regulation, and Activation. *Current pathobiology reports* 1, 301-311

Lawson J, Elliott J, Wheeler-Jones C, et al. (2015) Renal fibrosis in feline chronic kidney disease: Known mediators and mechanisms of injury. *The Veterinary Journal* 203, 18-26

Marescau B, Nagels G, Possemiers L, et al. (1997) Guanidino compounds in serum and urine of nondialyzed patients with renal insufficiency. *Metabolism* 46, 1024-1031

Martens-Lobenhoffer J, Bode-Boger SM. Fast and efficient determination of arginine symmetric dimethylarginine and asymmetric dimethylarginine in biological fluids by hydrophilic-interaction liquid chromatography-electrospray tandem mass spectrometry. *Clinical Chemistry* 52, 488-493

Nabity MB, Lees GE, Boggess MM, et al. (2015) Symmetric Dimethylarginine Assay Validation, Stability, and Evaluation as a Marker for the Early Detection of Chronic Kidney Disease in Dogs. *Journal of Veterinary Internal Medicine* 29, 1036-1044

Peterson ME, Varela FV, Rishniw M, et al. (2018) Evaluation of Serum Symmetric Dimethylarginine Concentration as a Marker for Masked Chronic Kidney Disease in Cats With Hyperthyroidism. *Journal of Veterinary Internal Medicine* 32, 295-304

Prunotto M, Ghiggeri G, Bruschi M, et al. (2011) Renal fibrosis and proteomics: Current knowledge and still key open questions for proteomic investigation. *Journal of Proteomics* 74, 1855-1870

Relford R, Robertson J, Clements C. (2016) Symmetric Dimethylarginine: Improving the Diagnosis and Staging of Chronic Kidney Disease in Small Animals. *Veterinary Clinics of North America: Small Animal Practice* 46, 941-960

Schmiedt CW, Brainard BM, Hinson W, et al. (2016) Unilateral Renal Ischemia as a Model of Acute Kidney Injury and Renal Fibrosis in Cats. *Veterinary Pathology* 53, 87-101

Tain Y-L, Hsu C-N. (2017) Toxic dimethylarginines: Asymmetric dimethylarginine and symmetric dimethylarginine. *Toxins* 9, 92

Williams TA. (2017) Serum symmetric dimethylarginine concentrations in hyperthyroid cats with and without azotemic chronic kidney disease. Proceedings of the American College of Veterinary Internal Medicine, Maryland, USA

Yerramilli M, Farace G, Quinn J, et al. (2016) Kidney Disease and the Nexus of Chronic Kidney Disease and Acute Kidney Injury. *Veterinary Clinics of North America: Small Animal Practice* 46, 961-993

Yerramilli M, Yerramilli M, Farace G, et al. (2017) SDMA is a more reliable marker for kidney function in cats and dogs with cancer. Proceedings of the American College of Veterinary Internal Medicine, Maryland, USA