

References:

- Benedetti, M.S., Coupez, R., Whomsley, R., Nicolas J.M., Collart, P., *et al.* (2004) Comparative pharmacokinetics and metabolism of levetiracetam, a new anti-epileptic agent, in mouse, rat, rabbit and dog. *Xenobiotica*.34, 281-300
- Bertrand, S., Ng G.Y., Purisai, M.G., Wolfe, S.E., Severidt, M.W., *et al.* (2001) The anticonvulsant, antihyperalgesic agent gabapentin is an agonist at brain gamma-aminobutyric acid type B receptors negatively coupled to voltage-dependent calcium channels. *J Pharmacol Exp Ther* 298, 15-24
- Bockbrader, H.N., Wesche, D., Miller, R., Chapel, S., Janiczek, N., *et al.* (2010) A comparison of the pharmacokinetics and pharmacodynamics of pregabalin and gabapentin. *Clin Pharmacokinet.* 49, 661-9
- Boothe, D.M., Perkins, J. (2008) Disposition and safety of zonisamide after intravenous and oral single dose and oral multiple dosing in normal hound dogs. *J Vet Pharmacol Ther.* 31, 544-53
- Caldwell, G.W., Wu, W.N., Masucci, J.A., McKown, L.A., Gauthier, D., *et al.* (2005) Metabolism and excretion of the antiepileptic/antimigraine drug, topiramate in animals and humans. *Eur J Drug Metab Pharmacokinet.* 30, 151-64
- Chung, J.Y., Hwang, C.Y., Chae, J.S., Ahn, J.O., Kim, T.H. (2012) Zonisamide monotherapy for idiopathic epilepsy in dogs. *N Z Vet J.* 60, 357-9
- Cook, A.K., Allen, A.K., Espinosa, D., Barr, J. (2011) Renal tubular acidosis associated with zonisamide therapy in a dog. *J Vet Intern Med.* 25, 1454-7
- De Risio, L., Bhatti, S., Muñana, K., Penderis, J., Stein, V., *et al.* (2015) International veterinary epilepsy task force consensus proposal: diagnostic approach to epilepsy in dogs. *BMC Vet Res.* 28, 48
- Dewey, C.W., Cerda-Gonzalez, S., Levine J.M., Badgley, B.L., Ducoté, J.M., *et al.* (2009) Pregabalin as an adjunct to phenobarbital, potassium bromide, or a combination of phenobarbital and potassium bromide for treatment of dogs with suspected idiopathic epilepsy. *J Am Vet Med Assoc.* 235, 1442-9
- Dewey, C.W., Guiliano, R., Boothe, D.M., Berg, J.M., Kortz, G.D., *et al.* (2004) Zonisamide therapy for refractory idiopathic epilepsy in dogs. *J Am Anim Hosp Assoc.* 40, 285-91
- Forsgård, J.A., Metsähonkala, L., Kiviranta, A.M., Cizinauskas, S., Junnila, J.J.T., *et al.* (2018) Seizure-precipitating factors in dogs with idiopathic epilepsy. *J Vet Intern Med.*1-7
- Halford, J.J., Lapointe, M. (2009) Clinical perspectives on lacosamide. *Epilepsy Curr.* 9, 1-9
- Hellerslia, V., Asistido, J.M., Iyamu, A. (2019) Brivaracetam for epilepsy. *JAAPA.* 32, 21-22
- Johannessen, S.I., Battino, D., Berry, D.J., Bialer, M., Krämer, G., *et al.* (2003) Therapeutic drug monitoring of the newer antiepileptic drugs. *Ther Drug Monit.* 25, 347-63
- Kiviranta, A.M., Laitinen-Vapaavuori, O., Hielm-Björkman, A., Jokinen, T. (2013) Topiramate as an add-on antiepileptic drug in treating refractory canine idiopathic epilepsy. *J Small Anim Pract.* 54, 512-20

Kotwas, I., McGonigal, A., Trebuchon, A., Bastien-Toniazzo, M., Nagai, Y., *et al.* (2016) Self-control of epileptic seizures by nonpharmacological strategies. *Epilepsy Behav.* 55, 157-164

Kwan, P., Arzimanoglou, A., Berg, A.T., Brodie, M.J., Hauser W.A., *et al.* (2010) Definition of drug resistant epilepsy: Consensus proposal by the ad hoc Task Force of the ILAE Commission on therapeutic strategies. *Epilepsia.* 51, 1069-1077

Kwan, P., Schachter, S.C., Brodie, M.J. (2011) Drug-resistant epilepsy. *N Engl J Med.* 365, 919-26

Liu, R.S.N., Lemieux, L., Bell, G.S., Hammers, A., Sisodiya, S.M., *et al.* (2003) Progressive neocortical damage in epilepsy. *Annals of Neurology.* 53, 312-324

Luszczki, J.J., Andres, M.M., Czuczwar, P., Cioczek-Czuczwar, A., Wojcik-Cwikla, J., *et al.* (2005) Levetiracetam selectively potentiates the acute neurotoxic effects of topiramate and carbamazepine in the rotarod test in mice. *Eur Neuropsychopharmacol.* 15, 609-16

Löscher, W. (1997) Animal models of intractable epilepsy. *Prog Neurobiol.* 53, 239-58

Lowrie, M., Garosi, L. (2016) Natural history of canine paroxysmal movement disorders in Labrador retrievers and Jack Russell terriers. *Vet J.* 213, 33-37

Lowrie, M., Garosi, L. (2017) Classification of involuntary movements in dogs: Paroxysmal dyskinesias. *Vet J.* 220, 65-71

Martinez, S.E, Bowen, K.A., Remsberg, C.M., Takemoto, J.K., Wright, H.M., *et al.* (2012) High-performance liquid chromatographic analysis of lacosamide in canine serum using ultraviolet detection: application to pre-clinical pharmacokinetics in dogs. *Biomed Chromatogr.* 26, 606–9

Miller, M.L., Center, S.A., Randolph, J.F., Lepherd, M.L., Cautela, M.A., *et al.* (2011) Apparent acute idiosyncratic hepatic necrosis associated with zonisamide administration in a dog. *J Vet Intern Med.* 25, 1156-60

Moore, S.A., Muñana, K.R., Papich, M.G., Nettifee-Osborne, J.A. (2011) The pharmacokinetics of levetiracetam in healthy dogs concurrently receiving phenobarbital. *J Vet Pharmacol Ther.* 34, 31-4

Muñana, K.R, Thomas, W.B., Inzana, K.D, Nettifee-Osborne, J.A., McLucas, K.J., *et al.* (2012) Evaluation of levetiracetam as adjunctive treatment for refractory canine epilepsy: a randomized, placebo-controlled, crossover trial. *J Vet Intern Med.* 26, 341-8

Orito, K., Saito, M., Fukunaga, K., Matsuo, E., Takikawa, S., *et al.* (2008) Pharmacokinetics of zonisamide and drug interaction with phenobarbital in dogs. *J Vet Pharmacol Ther.* 31, 259-64

Packer, R.M., Berendt, M., Bhatti, S., Charalambous, M., Cizinauskas, S., *et al.* (2015) Inter-observer agreement of canine and feline paroxysmal event semiology and classification by veterinary neurology specialists and non-specialists. *BMC Vet Res.* 18, 39

Packer, R.M., Volk, H.A. (2015) Epilepsy beyond seizures: a review of the impact of epilepsy and its comorbidities on health-related quality of life in dogs. *Vet Rec.* 177, 306-315

- Packer, R.M.A., McGreevy, P.D., Pergande, A., Volk, H.A. (2018) Negative effects of epilepsy and antiepileptic drugs on the trainability of dogs with naturally occurring idiopathic epilepsy. *Applied Animal Behaviour Science*, 200, 106-113
- Packer, R.M.A., McGreevy, P.D., Salvin, H.E., Valenzuela, M.J., Chaplin, C.M., *et al.* (2018) Cognitive dysfunction in naturally occurring canine idiopathic epilepsy. *PLoS One*. Feb 8, 13
- Pan, Y., Larson, B., Araujo, J.A., Lau, W., de Rivera, C., *et al.* (2010) Dietary supplementation with medium-chain TAG has long-lasting cognition enhancing effects in aged dogs. *Br J Nutr*. 103, 1746-54
- Patsalos, P.N. (2004) Clinical pharmacokinetics of levetiracetam. *Clin Pharmacokinet*. 43, 707-24
- Platt, S.R., Adams, V., Garosi, L.S., Abramson, C.J., Penderis, J., *et al.* (2006) Treatment with gabapentin of 11 dogs with refractory idiopathic epilepsy. *Vet Rec*. 159, 881-4
- Plessas, I.N., Volk, H.A., Rusbridge, C., Vanhaesebrouck, A.E., Jeffery, N.D. (2015) Comparison of gabapentin versus topiramate on clinically affected dogs with Chiari-like malformation and syringomyelia. *Vet Rec*. 177, 288
- Salazar, V., Dewey, C.W., Schwark, W., Badgley, B.L., Gleed, R.D., *et al.* (2009) Pharmacokinetics of single-dose oral pregabalin administration in normal dogs. *Vet Anaesth Analg*. 36, 574-80
- Schwartz-Porsche, D., Löscher, W., Frey, H.H. (1985) Therapeutic efficacy of phenobarbital and primidone in canine epilepsy: a comparison. *J Vet Pharmacol Ther*. 8, 113-9
- Shorvon, S.D. (1996) Safety of topiramate: adverse events and relationships to dosing. *Epilepsia*. 37 Suppl 2, S18-S22
- Sinha, S. and Siddiqui K.A. (2011) Definition of intractable epilepsy. *Neurosciences* 16, 3-9
- Stabile, F., Barnett, C.R., De Risio, L. (2017) Phenobarbital administration every eight hours: improvement of seizure management in idiopathic epileptic dogs with decreased phenobarbital elimination half-life. *Vet Rec*. 180, 178
- Stee, K., Martl , V., Broeckx, B.J.G., Royaux, E., Van Ham, L., *et al.* (2017) Imepitoin withdrawal in dogs with idiopathic epilepsy well-controlled with imepitoin and phenobarbital and/or potassium bromide does not increase seizure frequency. *Vet J*. 230, 1-5
- Strong, V., Brown, S., Huyton, M., Coyle, H. (2002) Effect of trained Seizure Alert Dogs on frequency of tonic-clonic seizures. *Seizure*. 11, 402-405
- Togawa, G., Saito, M., Iwata, S., Watanabe, N., Orito, K. (2018) Effects of Chloride in the Diet on Serum Bromide Concentrations in Dogs. *Intern J Appl Res Vet Med*. 16, 197-202
- Trepanier, L.A., Van Schoick, A., Schwark, W.S., Carrillo, J. (1998) Therapeutic serum drug concentrations in epileptic dogs treated with potassium bromide alone or in combination with other anticonvulsants: 122 cases (1992-1996). *J Am Vet Med Assoc*. 213, 1449-53
- Volk, H.A., Matiasek, L.A., Luj n Feliu-Pascual, A., Platt, S.R., Chandler, K.E. (2008) The efficacy and tolerability of levetiracetam in pharmacoresistant epileptic dogs. *Vet J*. Jun;176, 310-9

- Vollmer, K.O., von Hodenberg, A., Kölle, E.U. (1986) Pharmacokinetics and metabolism of gabapentin in rat, dog and man. *Arzneimittelforschung*. 36, 830-9
- Von Klopmann, T., Rambeck, B., Tipold, A. (2007) Prospective study of zonisamide therapy for refractory idiopathic epilepsy in dogs. *J Small Anim. Prac.* 48,134-138
- Watson, F., Rusbridge, C., Packer, R.M.A., Casey, R. A., Heath, S., *et al.* (2018) A review of treatment options for behavioural manifestations of clinical anxiety as a comorbidity in dogs with idiopathic epilepsy. *Vet J.* 238, 1–9
- Witt, J., Helmstaedter, C., (2012) Should cognition be screened in new-onset epilepsies? A study in 247 untreated patients. *J Neurol Neurosurg Psychiatry*. 259, 1727
- Wright, H.M., Chen, A.V., Martinez, S.E., Davies, N.M. (2012) Pharmacokinetics of oral rufinamide in dogs. *J Vet Pharmacol Ther.* 35, 529-33
- Wroe, S. (2007) Zonisamide and renal calculi in patients with epilepsy: how big an issue? *Curr Med Res Opin.* 23, 1765-73
- Zhang, C.H., Lu, Y., Brinkmann, B., Welker, K., Worrell, G., *et al.* (2014) Using functional MRI alone for localization in foal epilepsy. *Conf Proc IEEE Eng Med Biol Soc.* pp730-3